

SAFETY DATA SHEET

WOOD LAYERING PAINT

Page : 1

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: OLDE WORLD FINISHING PAINT

PRODUCT CODE: OLDE WORLD FINISHING PAINT

MANUFACTURER'S NAME: Faux Effects International Inc.

ADDRESS : 2701 Industrial Ave 2
Ft. Pierce, FL 34946

EMERGENCY PHONE : (772) 318-0151

DATE PREPARED : 01/29/2024

INFORMATION PHONE : (800) 270-8871

NAME OF PREPARER : Ray Sandor

2. HAZARDOUS IDENTIFICATION

REPORTABLE COMPONENTS

CAS NUMBER

MM HG @ TEMP

PERCENT

CONTAINS NO HAZARDOUS MATERIALS

EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

MAY CAUSE IRRITATION, REDNESS OR WATERING EYE

SKIN CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

MAY CAUSE IRRITATION OR REDNESS (DERMATITIS)

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

MAY CAUSE IRRITATION OF THROAT AND NASAL PASSAGES.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

MAY CAUSE ABDOMINAL PAIN, NAUSEA, VOMITTING AND DIARRHEA.

HEALTH HAZARDS (ACUTE AND CHRONIC)

NONE

CARCINOGENICITY

NTP CARCINOGEN: NONE **IARC MONOGRAPHS:** NONE **OSHA REGULATED:** NONE

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NONE GENERALLY RECOGNIZED

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS# 57-55-6 Propylene Glycol <3% by weight

SAFETY DATA SHEET

WOOD LAYERING PAINT

Page:2

4. FIRST AID MEASURES

EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT

IMMEDIATLY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES OR UNTIL ALL MATERIAL IS REMOVED. OBTAIN MEDICAL ATTENTION IF IRRITATION PERSISTS.

SKIN CONTACT

WASH SKIN WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. OBTAIN MEDICAL ATTENTION IF IRRITATION DEVELOPS OR PERSISTS.

INHALATION

IF INHALED, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS.

INGESTION

IF SWALLOWED, DO **NOT** INDUCE VOMITING. CONTACT A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

IN CASE OF FIRE, USE WATER (FLOOD WITH WATER), DRY CHEMICAL, CO₂, OR "ALCOHOL" FOAM

SPECIAL FIREFIGHTING PROCEDURES

AS IN ANY FIRE, WEAR SELF CONTAINED POSITIVE-PRESSURE BREATHING APPARATUS, (MSHA/NIOSH APPROVED OR EQUIVILENT) AND FULL PROTECTIVE GEAR

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

VENTILATE AREA. ABSORB SPILL WITH INERT MATERIAL AND PLACE IN CHEMICAL WASTE CONTAINER. OBEY REVELENT LOCAL, STATE, PROVINCIAL, AND FEDERAL LAWS AND REGULATIONS.

SAFETY DATA SHEET

WOOD LAYERING PAINT

Page:3

7. HANDLING AND STORAGE

HANDLING

USE IN A WELL VENTILATED AREA.

STORING

STORE IN A COOL DRY AREA

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

HMIS CODES: H F R

1 0 0

EYE PROTECTION

SAFETY GLASSES

SKIN PROTECTION

GLOVES

WORK/HYGIENIC PRACTICES

FOLLOW SAFE INDUSTRIAL HANDLING PROCEDURES

9. PHYSICAL AND CHEMICAL PROPERTIES

VISCOSITY : 12000 - 15000 CPS

pH : 7.5 - 8.5

FLAMMABILITY: NOT FLAMMABLE

BOILING RANGE: 212 - 446

SPECIFIC GRAVITY (H₂O=1): 1.54

COATING V.O.C.: 94 g/l

MATERIAL V.O.C.: 43 g/l

10. STABILITY AND REACTIVITY

STABILITY: STABLE

CONDITIONS TO AVOID : NONE

INCOMPATIBILITY (MATERIALS TO AVOID) : STRONG OXIDIZING MATERIALS

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

11. TOXICOLOGICAL INFORMATION

NO INFORMATION AVAILABLE

SAFETY DATA SHEET

WOOD LAYERING PAINT

Page:4

12. ECOLOGICAL INFORMATION

NO INFORMATION AVAILABLE

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD

ABSORB WITH INERT MATERIAL SUCH AS KITTY LITTER AND LET MATERIAL COMPLETELY DRY BEFORE DISPOSING OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

14. TRANSPORTATION INFORMATION

UN NUMBER

N.A.

UN PROPER SHIPPING NAME

WATERBASED PAINT

IACO/IATA

THIS PRODUCT IS NOT REGULATED BY IACO/IATA AND CONTAINS NO HAZARDOUS MATERIALS.

15. REGULATORY INFORMATION

US EPA

THIS PRODUCT IS NOT CONSIDERED HAZARDOUS BY OSHA HAZARD STANDARD.

CALIFORNIA

PROPOSITION 65: NO KNOWN REGULATED INGREDIENTS

CANADA

NOT A CONTROLLED PRODUCT

CEPA-NPRI -

NO KNOWN REGULATED INGREDIENTS

NEW JERSEY'S WORKER AND COMMUNITY RIGHT TO KNOW ACT:

CAS# 57-55-6 Propylene Glycol

PENNSYLVANIA'S RIGHT TO KNOW ACT:

CAS# 57-55-6 Propylene Glycol

SAFETY DATA SHEET

WOOD LAYERING PAINT

Page:5

16. OTHER INFORMATION

FAUX EFFECTS HAS NO CONTROL OVER ACTUAL USE OF THIS ARTISTIC PRODUCT OR THE METHOD OF APPLICATION OF THIS ARTISTIC PRODUCT. LIABILITY IS LIMITED TO NO MORE THAN THE PURCHASE PRICE PAID OR THE REPLACEMENT OF THE PRODUCT. THE INFORMATION IS ACCURATE TO THE BEST OF FAUX EFFECTS INC. KNOWLEDGE OR OBTAINED FROM SOURCES BELIEVED BY FAUX EFFECTS INC. TO BE ACCURATE AND FAUX EFFECTS INC. DOES NOT ASSUME ANY LEGAL RESPONSIBILITY FOR USE OR RELIANCE ON SAME. CUSTOMERS ARE ENCOURAGED TO CONDUCT THEIR OWN TESTS. BEFORE USING ANY PRODUCT, READ ITS LABEL.